

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF COMPLIANCE**

LABORATORY NAME AND ADDRESS

MISSISSIPPI PUBLIC HEALTH LABORATORY
570 EAST WOODROW WILSON
JACKSON, MS 39216

CLIA ID NUMBER

25D1096223

EFFECTIVE DATE

04/22/2010

LABORATORY DIRECTOR

DAPHNE WARE PHD

EXPIRATION DATE

04/21/2012

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Judith A. Yost

Judith A. Yost, Director
Division of Laboratory Services
Survey and Certification Group
Center for Medicaid and State Operations

117 certs2_071710

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
BACTERIOLOGY (110)	04/22/2010		
MYCOBACTERIOLOGY (115)	04/22/2010		
MYCOLOGY (120)	04/22/2010		
PARASITOLOGY (130)	04/22/2010		
SYPHILIS SEROLOGY (210)	04/22/2010		
GENERAL IMMUNOLOGY (220)	04/22/2010		
ROUTINE CHEMISTRY (310)	04/22/2010		
ENDOCRINOLOGY (330)	04/22/2010		
TOXICOLOGY (340)	04/22/2010		
HEMATOLOGY (400)	04/22/2010		
ABO & RH GROUP (510)	04/22/2010		
ANTIBODY NON-TRANSFUSION (530)	04/22/2010		

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.HHS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.